Outline

•Privacy
•Collaborative Game Theory
•Clustering

Christos H. Papadimitriou
with Jon Kleinberg and P. Raghavan
www.cs.berkeley.edu/~christos

What is privacy?

•one of society's most vital concerns
•central for e-commerce
•arguably the most crucial and far-reaching current challenge and mission of CS
•least understood scientifically (e.g., is it rational?)
• see, e.g., www.sims.berkeley.edu/~hal, ~/pam,
• [Stanford Law Review, June 2000]

some thoughts on privacy

- also an economic problem
- surrendering private information is either good or bad for you
- example: privacy vs. search costs in computer purchasing

thoughts on privacy (cont.)

- *personal information is intellectual property controlled by others, often bearing negative royalty*
- selling mailing lists vs. selling aggregate information: false dilemma
- Proposal: *Take into account the individual's utility when using personal data for decision-making*

e.g., marketing survey



e.g. total revenue: $2m = 10$

• company's utility is proportional to the majority
• customer's utility is 1 if in the majority

• *how should all participants be compensated?*

Collaborative Game Theory

- How should A, B, C split the loot (=20)?
- We are given what each subset can achieve by itself as a function v from the powerset of {A,B,C} to the reals
- $v(\{\}) = 0$

Values of v

- A: 10
- B: 0
- C: 6
- AB: 14
- BC: 9
- AC: 16
- ABC: 20

first idea (notion of "fairness"): the core

A vector $(x_1, x_2, \ldots, x_n)$ with $\Sigma_i x_i = v([n])$ $(= 20)$ is in the core if for all S we have $x[S] \geq v(S)$

In our example: A gets 11, B gets 3, C gets 6

Problem: Core is often empty (e.g., AB ✹ 15)

second idea: the Shapley value

$x_i = E_\pi(v[\{j: \pi(j) \leq \pi(i)\}] - v[\{j: \pi(j) < \pi(i)\}])$

(Meaning: Assume that the agents arrive at random. Pay each one his/her contribution. Average over all possible orders of arrival.)

Theorem [Shapley]: The Shapley value is the only allocation that satisfies Shapley's axioms.

In our example…

- A gets: 10/3 + 14/6 + 10/6 + 11/3 = 11
- B gets: 0/3 + 4/6+ 3/6 +4/3 = 2.5
- C gets the rest = 6.5
- NB: Split the cost of a trip among hosts…

Values of v

- A: 10
- B: 0
- C: 6
- AB: 14
- BC: 9
- AC: 16
- ABC: 20

e.g., the UN security council

- 5 permanent, 10 non-permanent
- A resolution passes if voted by a majority of the 15, including all 5 P
- $v[S] = 1$ if $|S| > 7$ *and* S contains 1,2,3,4,5; otherwise 0
- What is the Shapley value (~power) of each P member? Of each NP member?

e.g., the UN security council

- What is the probability, when you are the 8^{th} arrival, that all of 1,…,5 have arrived?
- Ans: Choose(10,2)/Choose(15,7) ~ .7%
  Permanent members: ~ 18%

Therefore, P 🕒 NP

third idea: bargaining set
fourth idea: nucleolus
.
.
.
seventeenth idea: the von Neumann-Morgenstern solution

[Deng and P. 1990] complexity-theoretic critique of solution concepts

Applying to the market survey problem

- Suppose largest *minority* is *r*
- An allocation is in the core as long as losers get 0, vendor gets > 2*r*, *winners split an amount up to twice their victory margin*
- (plus another technical condition saying that split must not be too skewed)

market survey problem: Shapley value

- Suppose margin of victory is at least $\mu > 0\%$
- (realistic, close elections never happen in real life)
- Vendor gets $m(1+\mu)$
- Winners get $1+\mu$
- Losers get μ
- (and so, no compensation is necessary)

e.g., recommendation system

- Each participant *i* knows a set of items B_i
- Each benefits 1 from every new item
- Core: empty, unless the sets are disjoint!
- Shapley value: For each item you know, you are owed an amount equal to 1 / (#people who know about it) --i.e., *novelty pays*

e.g., collaborative filtering

- Each participant likes/dislikes a set of items (participant is a vector of 0, ± 1)
- The "similarity" of two agents is the inner product of their vectors
- There are *k* "well separated types" (vectors of ± 1), and each agent is a *random perturbation* and *random masking* of a type

collaborative filtering (cont.)

- An agent gets advice on a 0 by asking the most similar other agent who has a ± 1 in that position
- Value of this advice is the product of the agent's true value and the advice.
- How should agents be compensated (or charged) for their participation?

collaborative filtering (result)

Theorem: An agent's compensation (= value to the community) *is an increasing function of how typical* (close to his/her type) *the agent is.*

The economics of clustering

- The practice of clustering: Confusion, too many criteria and heuristics, no guidelines
- The theory of clustering: ditto!
- "It's the economy, stupid!"
  [Kleinberg, P., Raghavan STOC 98, JDKD 99]

Example: market segmentation



Segment monopolistic market to maximize revenue

or, in the a – b plane:



Theorem: Optimum clustering is by lines through the origin (hence: $O(n^2)$ DP)

?

So…

- Privacy has an interesting (and,I think, central) economic aspect
- Which gives rise to neat math/algorithmic problems
- Architectural problems wide open
- And clustering is a meaningful problem only in a well-defined economic context